

Title	Journal	Year	Vol : Page	Authors	PubMed ID (アブストリンク)
Associations of plasma homocysteine levels with peripheral systolic blood pressure and noninvasive central systolic blood pressure in a community-based Chinese population.	Sci Rep.	2017	Jul 24;7(1):6316.	Momin M, Fan F, Li J, Qin X, Jia J, Qi L, Zhang Y, Huo Y.	28740096
Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis.	2017	Aug;263:244-248.	Cui R, Yamagishi K, Muraki I, Hayama-Terada M, Umesawa M, Imano H, Li Y, Eshak ES, Ohira T, Kiyama M, Okada T, Kitamura A, Tanigawa T, Iso H: CIRCS investigators.	28683363
Methodological evaluation of the noninvasive estimation of central systolic blood pressure in nontreated patients: the Bogalusa Heart Study.	Blood Press Monit.	2017	Apr;22(2):95-100.	Fernandez C, Hsu R, Sander G, Hussain A, Barshop R, Li S, Shu T, Zhang T, Galazka P, Chen W, Bazzano L, Giles TD.	27902495
Aortopathy in adults with tetralogy of Fallot has a negative impact on the left ventricle.	Int J Cardiol.	2017	Feb 1;228:380-384.	Shiina Y, Murakami T, Kawamatsu N, Niwa K.	27866031
Carotid characteristics of black South Africans with five-year sustained hypertension.	Cardiovasc J Afr.	2016	27(4):262-269.	Maritz M, Fourie CM, van Rooyen JM, Huisman HW, Schutte AE.	27841914
Successful prediction of cardiovascular risk by new non-invasive vascular indexes using suprasystolic cuff oscillometric waveform	J Cardiol.	2017	Jan;69(1):30-37.	Sasaki-Nakashima R, Kino T, Chen L, Doi H, Minegishi S, Abe K, Sugano T, Taguri M, Ishigami T.	27590415
Serum levels of Mac-2 binding protein increase with cardiovascular risk and reflect silent	Atherosclerosis.	2016	Aug;251:192-196.	Sugiura T, Dohi Y, Takase H, Yamashita S, Murai S, Tsuzuki Y, Ogawa S, Tanaka Y, Ohte N.	27344370
Brachial-Ankle Pulse Wave Velocity is Associated with Composite Carotid and Coronary Atherosclerosis in a Middle-Aged Asymptomatic Population.	J Atheroscler Thromb.	2016	Sep 1;23(9):1033-46	Joo HJ(1), Cho SA, Cho JY, Lee S, Park JH, Hwang SH, Hong SJ, Yu CW, Lim DS.	27251176
Noninvasive Central Systolic Blood Pressure Is More Strongly Related to Kidney Function Decline Than Peripheral Systolic Blood Pressure in a Chinese Community-Based Population.	Hypertension.	2016	Jun;67(6):1166-72	Fan F, Qi L, Jia J, Xu X, Liu Y, Yang Y, Qin X, Li J, Li H, Zhang Y, Huo Y.	27141056
Decline of Renal Function and Progression of Left Ventricular Hypertrophy Are Independently Determined in Chronic Kidney Disease Stages 3-	Pulse (Basel).	2014	May;2(1-4):29-37	Suzuki H, Inoue T, Dogi M, Kikuta T, Takenaka T, Okada H.	26587441
Older age is associated with greater central aortic blood pressure following the exercise stress test in subjects with similar brachial systolic blood pressure.	Heart Vessels.	2016	Aug;31(8):1354-60.	Kobayashi M, Oshima K, Iwasaki Y, Kumai Y, Avolio A, Yamashina A, Takazawa K.	26293569
Arteriosclerosis can predict hypotension during anesthesia induction in patients 40 years and	J Clin Anesth.	2015	March; 27(2): 132–139	Morimoto Y, Yamagata K, Hanamoto H, Boku A, Kudo C, Yokoe C, Sugimura M, Niwa H.	25432581
Portable indices for sarcopenia are associated with pressure wave reflection and central pulse pressure: the J-SHIPP study.	J Hypertens.	2015	Feb;33(2):314-22.	Ohara M, Kohara K, Tabara Y, Igase M, Miki T.	25380165
Central blood pressure relates more strongly to retinal arteriolar narrowing than brachial blood pressure: the Nagahama Study.	J Hypertens.	2015	Feb;33(2):323-9.	Kumagai K, Tabara Y, Yamashiro K, Miyake M, Akagi-Kurashige Y, Oishi M, Yoshikawa M, Kimura Y, Tsujikawa A, Takahashi Y, Setoh K, Kawaguchi T, Terao C, Yamada R, Kosugi S, Sekine A, Nakayama T, Matsuda F, Yoshimura	25380155
Left ventricular diastolic dyssynchrony in patients with treatment-naïve hypertension and the effects of antihypertensive therapy.	J Hypertens.	2015	Feb;33(2):354-65.	Kwon BJ, Lee SH, Park CS, Kim DB, Park HJ, Jang SW, Ihm SH, Youn HJ, Seung KB, Kim HY.	25333681
The effect of high-dose vitamin D supplementation on insulin resistance and arterial stiffness in patients with type 2 diabetes.	Korean J Intern Med.	2014	Sep;29(5):620-9.	Ryu OH, Chung W, Lee S, Hong KS, Choi MG, Yoo HJ.	25228838
Mechanical Stresses, Arterial Stiffness, and Brain Small Vessel Diseases: Shimanami Health Promoting Program Study.	Stroke.	2014	Nov;45(11):3287-92.	Okada Y, Kohara K, Ochi M, Nagai T, Tabara Y, Igase M, Miki T.	25228261
A New Tonometric Device for Radial Augmentation Index and Subendocardial Viability Ratio: Potential Use in Health Screening.	J Clin Hypertens (Greenwich).	2014	Oct;16(10):707-12.	Wang JZ, Zhang YL, Hu FS, He ZJ, Yang XJ, Ma ZC, Sun YN.	25203355
Association of Serum-Free Fatty Acid Level With Reduced Reflection Pressure Wave Magnitude and Central Blood Pressure: The Nagahama	Hypertension.	2014	Dec;64(6):1212-8.	Tabara Y, Takahashi Y, Kawaguchi T, Setoh K, Terao C, Yamada R, Kosugi S, Sekine A, Nakayama T, Matsuda F; on behalf of the	25201894
Longitudinal Changes in Late Systolic Cardiac Load and Serum NT-proBNP Levels in Healthy Middle-Aged Japanese Men.	Am J Hypertens.	2015	Apr;28(4):452-8.	Tomiyama H, Nishikimi T, Matsumoto C, Kimura K, Odaira M, Shiina K, Yamashina A.	25194157
Establishing reference values for central blood pressure and its amplification in a general healthy population and according to cardiovascular risk factors.	Eur Heart J.	2014	Nov 21;35(44):3122-33.	Herbert A, Cruickshank JK, Laurent S, Boutouyrie P; on behalf of The Reference Values for Arterial Measurements Collaboration; on behalf of The Reference Values for Arterial Measurements Collaboration.	25112663
Nebivolol reduces central blood pressure in stage I hypertensive patients: experimental single cohort study.	Sao Paulo Med J.	2014	132(5):290-6.	Vaz-de-Melo RO, Giollo-Júnior LT, Martinelli DD, Moreno-Júnior H, Mota-Gomes MA, Cipullo JP, Yugar-Toledo JC, Vilela-Martin JF.	25054966
Effect of weight loss on central systolic blood pressure in elderly community-dwelling persons.	Hypertens Res.	2014	Oct;37(10):933-8	Kawamoto R, Kohara K, Katoh T, Kusunoki T, Ohtsuka N, Abe M, Kumagi T, Miki T.	24965169
Abnormal pressure-wave reflection in pregnant women with chronic hypertension: association with maternal and fetal outcomes.	Hypertens Res.	2014	Nov;37(11):989-92	Tomimatsu T, Fujime M, Kanayama T, Mimura K, Koyama S, Kanagawa T, Endo M, Shimoya K, Kimura T.	24965168
Relationship of Arterial Compliance and Blood Pressure with Microalbuminuria and Mildly Decreased Glomerular Filtration Rate: A Chinese	PLoS One.	2014	Jun 25;9(6):e101013	Fu S, Sun Y, Luo L, Ye P.	24963717
Differential response of central blood pressure to isometric and isotonic exercises.	Sci Rep.	2014	Jun 25;4:5439.	Tanaka S, Sugiura T, Yamashita S, Dohi Y, Kimura G, Ohte N.	24961818
Estimation of central aortic blood pressure: a systematic meta-analysis of available	J Hypertens.	2014	Sep;32(9):1727-40	Narayan O, Casan J, Szarski M, Dart AM, Meredith IT, Cameron JD.	24937639
Effect of stone Spa bathing and hot-spring bathing on pulse wave velocity in healthy, late middle-aged females.	Nihon Eiseigaku Zasshi.	2014	69(2):146-52.	Morioka I, Izumi Y, Inoue M, Okada K, Sakaguchi K, Miyai N.	24858510
Differences in Effects of Age and Blood Pressure on Augmentation Index.	Am J Hypertens.	2014	Dec;27(12):1479-85.	Tomiyama H, Odaira M, Kimura K, Matsumoto C, Shiina K, Eguchi K, Miyashita H, Shimada K, Yamashina A.	24820940
Effects of single pill-based combination therapy of amlodipine and atorvastatin on within-visit blood pressure variability and parameters of renal and vascular function in hypertensive patients with chronic kidney disease.	Biomed Res Int.	2014	2014:437087.	Azushima K, Uneda K, Tamura K, Wakui H, Ohsawa M, Kobayashi R, Dejima T, Kanaoka T, Maeda A, Toya Y, Umemura S.	24809050
The clinical usefulness of central hemodynamics to evaluate diastolic dysfunction in subjects without hypertension.	Clin Interv Aging.	2014	Mar 28;9:527-33.	Kim G, Kim JH, Moon KW, Yoo KD, Ihm SH, Youn HJ, Kim CM.	24729693
Pathophysiological Contribution of Vascular Function to Baroreflex Regulation in	Circ J.	2014	78(6):1414-9.	Tomiyama H, Matsumoto C, Kimura K, Odaira M, Shiina K, Yamashina A.	24694767

Title	Journal	Year	Vol : Page	Authors	PubMed ID (アブストリンク)
Augmentation Index Does Not Reflect Risk of Coronary Artery Disease in Elderly Patients.	Circ J.	2014	78(5):1176-82.	Hayashi S, Yamada H, Bando M, Hotchi J, Ise T, Yamaguchi K, Iwase T, Soeki T, Wakatsuki T, Tamaki T, Sata M.	24562676
Differential associations of central and brachial blood pressure with carotid atherosclerosis and microvascular complications in patients with type 2 diabetes.	BMC Cardiovasc Disord.	2014	Feb 20;14:23.	Jung CH, Jung SH, Kim KJ, Kim BY, Kim CH, Kang SK, Mok JO.	24555866
An association between central aortic pressure and subclinical organ damage of the heart among a general Japanese cohort: Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis.	2014	Jan;232(1):94-8.	Cui R, Li Y, Krisztina G, Yamagishi K, Umesawa M, Imano H, Ohira T, Kiyama M, Okada T, Kitamura A, Hitsumoto S, Tanigawa T, Iso H; CIRCS Investigators.	24401222
Do different arterial stiffness parameters provide similar information in high-risk patients for coronary artery disease?	Korean Circ J.	2013	Dec;43(12):819-24.	Kim KM, Yoo BS, Ko A, Kim JM, Kim HS, Lee JW, Kim JY, Youn YJ, Ahn SG, Lee SH, Yoon J.	24385993
Effects of lifestyle modification on central blood pressure in overweight and obese men.	Blood Press Monit.	2013	Dec;18(6):311-5.	Higashino R, Miyaki A, Kumagai H, Choi Y, Akazawa N, Ra SG, Tanabe Y, Eto M, So R, Tanaka K, Ajisaka R, Maeda S.	24192844
Basis of monitoring central blood pressure and hemodynamic parameters by peripheral arterial pulse waveform analyses.	Conf Proc IEEE Eng Med Biol Soc.	2013	2013:221-4.	Miyashita H, Katsuda S.	24109664
Arterial stiffness/central hemodynamics, renal function, and development of hypertension over Subservient relationship of the peripheral second systolic pressure peak to the central hemodynamic parameters is preserved, irrespective of atherosclerosis progression in hypercholesterolemic rabbits.	J Hypertens.	2014	Jan;32(1):90-9.	Tomiyama H, Townsend RR, Matsumoto C, Kimura K, Odaira M, Yoshida M, Shiina K.	24061545
Comparison of noninvasive assessments of central blood pressure using general transfer function and late systolic shoulder of the radial	Hypertens Res.	2014	Jan;37(1):19-25	Katsuda S, Miyashita H, Shimada K, Miyawaki Y, Kojima I, Shiogai Y, Hazama A.	24048488
Comparison of noninvasive assessments of central blood pressure using general transfer function and late systolic shoulder of the radial	Am J Hypertens.	2014	Feb;27(2):162-8.	Wohlfahrt P, Krajcoviechová A, Seidlerová J, Mayer O, Filipovsky J, Cífková R.	23999585
Correlation between the brachial blood pressure values obtained using the cuff method and the central blood pressure values obtained invasively.	Intern Med.	2013	52(15):1675-80	Kobayashi H, Kinou M, Takazawa K.	23903498
Derivation and Validation of Diagnostic Thresholds for Central Blood Pressure Measurements Based on Long-Term	J Am Coll Cardiol.	2013	Nov 5;62(19):1780-7	Cheng HM, Chuang SY, Sung SH, Yu WC, Pearson A, Lakatta EG, Pan WH, Chen CH.	23850921
Women have significantly greater difference between central and peripheral arterial pressure compared with men: the Bogalusa Heart Study.	J Am Soc Hypertens.	2013	Sep-Oct;7(5):379-85.	Chester R, Sander G, Fernandez C, Chen W, Berenson G, Giles T.	23850194
Azelidipine plus olmesartan versus amlodipine plus olmesartan on arterial stiffness and cardiac function in hypertensive patients: a randomized	Drug Des Devel Ther.	2013	Mar 22;7:175-83.	Takami T, Saito Y.	23662047
Independent determinants for presence and degree of left ventricular systolic dyssynchrony in treatment-naïve patients with hypertension.	J Hypertens.	2013	Mar;31(3):601-9;	Kwon BJ, Jang SW, Choi KY, Lee JB, Kim DB, Cho EJ, Ihm SH, Youn HJ, Rho TH, Kim JH.	23615215
Association of Longer QT Interval With Arterial Waveform and Lower Pulse Pressure Amplification: The Nagahama Study.	Am J Hypertens.	2013	Aug;26(8):973-80.	Tabara Y, Takahashi Y, Kohara K, Setoh K, Kawaguchi T, Terao C, Igase M, Yamada R, Kosugi S, Sekine A, Miki T, Nakayama T, Matsuda F; on behalf of the Nagahama Study	23598421
Increased aortic wave reflection and smaller pulse pressure amplification in smokers and passive smokers confirmed by urinary cotinine levels: The Nagahama Study.	Int J Cardiol.	2013	Oct 3;168(3):2673-7	Tabara Y, Takahashi Y, Setoh K, Muro S, Kawaguchi T, Terao C, Kosugi S, Sekine A, Yamada R, Mishima M, Nakayama T, Matsuda F; on behalf of the Nagahama Study Group.	23578893
Various Approaches for Vascular Health in Elderly Women.	Clin Exp Hypertens.	2013	35(4):295-9	Suzuki H, Dogi M, Takenaka T.	23541183
The influence of a direct Renin inhibitor on the central blood pressure.	J Nippon Med Sch.	2013	80(1):25-33.	Kubota Y, Takahashi H, Asai K, Yasutake M, Mizuno K.	23470803
Maternal arterial stiffness in normotensive pregnant women who subsequently deliver babies that are small for gestational age.	Eur J Obstet Gynecol Reprod Biol.	2013	Jul;169(1):24-7.	Tomimatsu T, Fujime M, Kanayama T, Mimura K, Koyama S, Kanagawa T, Kimura T.	23434326
Clinical Significance of the Augmentation Index in Patients with Preserved Kidney Function	J Nippon Med Sch.	2012	79(6):422-9.	Hitsumoto T.	23291840
Effect of eicosapentaenoic acid on central systolic blood pressure.	Prostaglandins Leukot Essent Fatty	2013	Feb;88(2):191-5.	Iketani T, Takazawa K, Yamashina A.	23246023
Noninvasive estimation of central blood pressure and the augmentation index in the seated position: a validation study of two commercially	J Hypertens.	2013	Mar;31(3):508-15	Hirata K, Kojima I, Momomura S.	23235360
Effects of Adding Ezetimibe to Fluvastatin on Kidney Function in Patients with Hypercholesterolemia: a Randomized Control	J Atheroscler Thromb.	2013	20(3):245-56.	Kinouchi K, Ichihara A, Bokuda K, Morimoto S, Itoh H.	23197250
Comparison of the SphygmoCor and Omron devices in the estimation of pressure amplification against the invasive catheter	J Hypertens.	2013	Jan;31(1):86-93.	Ding FH, Li Y, Zhang RY, Zhang Q, Wang JG.	23188416
Genetic Variation in CYP17A1 Is Associated with Arterial Stiffness in Diabetic Subjects.	Exp Diabetes Res.	2012	2012:827172	Yang SJ, Lee ST, Kim WJ, Park SE, Park SW, Kim JW, Park CY.	23133444
Comparison of the efficacy between hydrochlorothiazide and chlorthalidone on central aortic pressure when added on to candesartan in treatment-naïve patients of hypertension.	Hypertens Res.	2013	Jan;36(1):79-84	Kwon BJ, Jang SW, Choi KY, Kim DB, Cho EJ, Ihm SH, Youn HJ, Kim JH.	23034468
Distribution of central blood pressure values estimated by Omron HEM-9000AI in the Japanese general population.	Hypertens Res.	2013	Jan;36(1):50-7	Takase H, Dohi Y, Kimura G.	22895062
Central blood pressure: a powerful predictor of the development of hypertension.	Hypertens Res.	2013	Jan;36(1):19-24	Tomiyama H, O'Rourke MF, Hashimoto H, Matsumoto C, Odaira M, Yoshida M, Shiina K, Nagata M, Yamashina A.	22875067
Postprandial hypertension, an overlooked risk marker for arteriosclerosis.	Atherosclerosis.	2012	Oct;224(2):500-5.	Uetani E, Tabara Y, Igase M, Guo H, Kido T, Ochi N, Takita R, Kohara K, Miki T	22867753
Clinical Assessment of Central Blood Pressure.	Curr Hypertens Rev.	2012	May;8(2):80-90.	Miyashita H.	22866025
Effects of aliskiren-based therapy on ambulatory blood pressure profile, central hemodynamics, and arterial stiffness in nondiabetic mild to moderate hypertensive patients.	J Clin Hypertens (Greenwich).	2012	Aug;14(8):522-9.	Kanaoka T, Tamura K, Ohsawa M, Wakui H, Maeda A, Dejima T, Azushima K, Haku S, Mitsuhashi H, Yanagi M, Oshikawa J, Uneda K, Aoki K, Fujikawa T, Taya Y, Uchino K, Umemura	22863160
Association between risk factors and left ventricular remodeling in middle-aged and aged population: a community-based study.	J Hypertens.	2012	Sep;30(9):1862-73.	Wu L, Zhang L, Ai Z, Zou L, Zhu Y, Bao Y, Li J, Kang S, Fan H, Zhang D, Fan L, Liu Z, Li J.	22796707
Aggressive blood pressure-lowering therapy guided by home blood pressure monitoring improves target organ damage in hypertensive patients with type 2 diabetes/prediabetes.	J Clin Hypertens (Greenwich).	2012	Jul;14(7):422-8.	Eguchi K, Hoshide S, Ishikawa S, Shimada K, Kario K.	22747614

Title	Journal	Year	Vol : Page	Authors	PubMed ID (アブストリンク)
Determinants of brachial-ankle pulse wave velocity in a Japanese population: A cohort study.	Blood Press.	2012	Dec;21(6):338-44	Mitani S, Fujita M, Shigeta M, Kuriyama N, Ozaki E, Yoshikawa A, Matsui D, Watanabe I, Inoue K, Watanabe Y.	22616854
Strength of Relationships of the Pulse Wave Velocity and Central Hemodynamic Indices With the Serum N-Terminal Fragment B-Type Natriuretic Peptide Levels in Men.	Circ J.	2012	76(8):1928-33.	Odaira M, Tomiyama H, Matsumoto C, Yoshida M, Shiina K, Nagata M, Yamashina A.	22572462
Combination Therapy of Angiotensin II Receptor Blocker and Calcium Channel Blocker Exerts Pleiotropic Therapeutic Effects in Addition to Blood Pressure Lowering: Amlodipine and Candesartan Trial in Yokohama (ACTY).	Clin Exp Hypertens.	2012	34(4):249-57	Maeda A, Tamura K, Kanaoka T, Ohsawa M, Haku S, Azushima K, Dejima T, Wakui H, Yanagi M, Okano Y, Fujikawa T, Toya Y, Mizushima S, Tochikubo O, Umemura S.	22571446
B-type natriuretic peptide as an independent correlate of nocturnal voiding in Japanese women.	Neurourol Urodyn.	2012	Nov;31(8):1266-71.	Yoshimura K, Nakayama T, Sekine A, Matsuda F, Kosugi S, Yamada R, Shimizu Y, Kanematsu A, Yoshimura K, Ogawa O; the Nagahama Cohort Research Group.	22532404
Hypertension-Related Gene Polymorphisms of G-Protein-Coupled Receptor Kinase 4 Are Associated with NT-proBNP Concentration in Normotensive Healthy Adults.	Int J Hypertens.	2012	2012:806810.	Yatabe J, Yatabe MS, Yoneda M, Felder RA, Jose PA, Sanada H.	22518293
Long-Term Effects of Calcium Antagonists on Augmentation Index in Hypertensive Patients with Chronic Kidney Disease: A Randomized Controlled Study.	Am J Nephrol.	2012	35(5):416-23.	Takenaka T, Seto T, Okayama M, Kojima E, Nodaira Y, Sueyoshi K, Kikuta T, Watanabe Y, Inoue T, Takane H, Ohno Y, Suzuki H.	22517217
Estimation of central aortic systolic pressure using late systolic inflection of radial artery pulse and its application to vasodilator therapy.	J Hypertens.	2012	May;30(5):908-16.	Takazawa K, Kobayashi H, Kojima I, Aizawa A, Kinoh M, Sugo Y, Shimizu M, Miyawaki Y, Tanaka N, Yamashina A, Avolio A.	22469836
Perceived age of facial features is a significant diagnosis criterion for age-related carotid atherosclerosis in Japanese subjects: J-SHIP	Geriatr Gerontol Int.	2012	Oct;12(4):733-40.	Kido M, Kohara K, Miyawaki S, Tabara Y, Igase M, Miki T.	22299819
Central aortic blood pressure and augmentation index during normal pregnancy	Hypertens Res.	2012	Jun;35(6):633-8.	Fujime M, Tomimatsu T, Okaue Y, Koyama S, Kanagawa T, Taniguchi T, Kimura T.	22297477
Validation of carotid blood pressure assessment by tonometry.	J Hypertens.	2012	Feb;30(2):429-32	Takenaka T, Kikuta T, Watanabe Y, Inoue T, Takane H, Ohno Y, Suzuki H.	22236973
Relationship of aortic stiffness, central systolic blood pressure and left atrium enlargement in general middle and aged population.	Int J Cardiol.	2012	Feb 9;154(3):344-7.	Kang S, Fan HM, Li J, Fan LY, Chen M, Liu ZM; Heart Failure Risk Factors Investigation Project collaborative group (HFRFIP collaborative group).	22112680